

VIZA.EX15100 - Fittings, Grooved and Plain End

Fittings, Grooved and Plain End

[See General Information for Fittings, Grooved and Plain End](#)

WEIFANG 100TONG CASTING CO LTD

EX15100

1919 Airport South Rd

Weicheng District

Weifang, Shandong 261000 CHINA

The following fittings are intended for use with WEIFANG 100TONG CASTING CO LTD Listed rubber gasketed fittings.

Grooved

Model	Type	Size (mm)	Rated Pressure (psig)
XGQT06	90 Degree Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT06	90 Degree Elbow	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12	300
XGQT06L	90 Degree Elbow	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT06L	90 Degree Elbow	6-1/2 OD, 6, 8, 10, 12	300
06D	90 Degree Elbow	2, 2-1/2, 3 OD, 3, 4	400
06D	90 Degree Elbow	5-1/2 OD, 6-1/2 OD, 6, 8	300
XGQT07	45 Degree Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT07	45 Degree Elbow	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12	300
XGQT09	22.5 Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT09	22.5 Elbow	5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
XGQT10	11.25 Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT10	11.25 Elbow	5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
XGQT12	Tee	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT12	Tee	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12	300

XGQT12L	Tee	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT12L	Tee	5-1/2 OD, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
XGQT13	Reducing Tee	3 ODx2, 3x3 OD, 5x2, 5x3 OD, 5x3, 8x3 OD, 8x3, 8x5	232
XGQT13	Reducing Tee	2x1, 2x1-1/4, 2x1-1/2, 2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 3x2-1/2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x2-1/2, 4x3 OD, 4x3	400
XGQT13	Reducing Tee	5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4, 8x4, 8x6-1/2 OD, 8x6, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10	300
XGQT13	Reducing Tee Grooved	3x4, 3x6-1/2OD; 4x6-1/2OD	365
XGQT13S	Reducing Tee Threaded	1-1/4x1, 1-1/2x1, 1-1/2x1-1/4, 3 ODx2, 3x3 OD, 4x3 OD, 5x1, 5x1-1/4, 5x1-1/2, 5x2, 5x3 OD	232
XGQT13S	Reducing Tee Threaded	2x1, 2x1-1/4, 2x1-1/2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x3 OD, 4x3, 5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4	300
XGQT13S	Reducing Tee, Threaded	2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2	400
XGQT13F	Pitcher Tee	4x4x3 OD	300
XGQT13R	Pitcher Tee	4x4x3 OD	300
XGQT14	Cross	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT14	Cross	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
XGQT20	Cap	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
XGQT20	Cap	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
XGQT20S	Cap	4x1, 6-1/2 ODx1, 6x1, 8x1, 10x1	300
XGQT16	Concentric Reducer Grooved Outlet	1-1/2x1-1/4, 3x3 OD, 5x2, 5x3 OD, 5x4, 6-1/2 ODx5, 8x5, 8x6-1/2 OD	232
XGQT16	Concentric Reducer Grooved Outlet	1-1/4x1, 1-1/2x1, 2x1, 2x1-1/4, 2x1-1/2, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3 ODx2, 3x1-1/4, 3x1-1/2, 3x2, 3x2-1/2, 3x3 OD, 4x1-1/4, 4x1-1/2, 4x2, 4 x 2-1/2, 4x3 OD, 4x3	400

XGQT16	Concentric Reducer Grooved Outlet	5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 5-1/2 ODx4, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x2, 6x2-1/2, 6x3 OD, 6x3, 6x4, 6x5-1/2 OD, 8x2, 8x2-1/2, 8x3 OD, 8x3, 8x4, 8x5-1/2 OD, 8x6, 10x4, 10x6, 10x8	300
XGQT16S	Concentric Reducer Threaded Outlet	1-1/2x1, 3x3 OD, 5x1, 5x1-1/4, 5x2, 5x3 OD	232
XGQT16S	Concentric Reducer Threaded Outlet	2x1, 2x1-1/4, 2x1-1/2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3 ODx2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x3 OD, 4x3, 5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4, 8x1, 8x1-1/4, 8x1-1/2, 8x2, 8x3 OD, 8x3, 8x4	300
XGQT16S	Concentric Reducer, Threaded Outlet	2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2	400
XGQT17	Eccentric Reducer	3x2, 3x2-1/2, 3x3 OD, 4x2, 4x2-1/2, 4x3 OD, 4x3	400
XGQT17	Eccentric Reducer	5-1/2 ODx3 OD, 5-1/2 ODx3, 5-1/2 ODx4, 6-1/4 ODx2, 6-1/4 ODx3 OD, 6-1/4 ODx3, 6-1/4 ODx4-1/4 OD, 6-1/4 ODx4, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6-1/2 ODx5-1/2 OD, 6x3, 6x4, 6x5-1/2 OD, 8x3, 8x4, 8x5-1/2 OD, 8x6-1/2 OD, 8x6, 10x6-1/2 OD, 10x6, 10x8	300
XGQT18	Flange Adaptor, Grooved	2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4, 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
XGQT18S	Flange Adaptor, Threaded	2, 3 OD, 3, 4	300
22	Adapter Elbow	1-1/4x1/2, 1-1/4x3/4, 1-1/4x1, 1-1/2x1/2, 1-1/2x3/4, 1-1/2x1, 2x1/2, 2x3/4, 2x1, 2-1/2x1/2, 2-1/2x3/4, 2-1/2x1	500
36	Adapter Nipple	1-1/2, 2	500
37	Reducing Adapter Nipple	1-1/2x1, 2x1-1/2	500
XGQT23	Drain Cap	2x1, 2x1-1/2, 2-1/2x1, 3 ODx1-1/2, 3 ODx 2, 3x1, 3x1-1/2, 3x2, 4x1, 4x1-1/2, 4x2, 5-1/2 ODx2, 6x1, 6x2, 8x2	300
XGQT28	Flange Adapter	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	300
XGQT21	Reducing 90° Elbow Grooved	4x3	365
XGQT38	Flange Adapter	2, 30D, 3, 4, 6-1/2OD, 8	300

Trademark and/or Tradename:  ,  , 

Last Updated on 2020-06-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"